MAIWELL
MEDICAL

Veterinary Products













Manual veterinary operating table

MA-VOTA

- Material:The table is made of 304 Stainless steel,the base is made of sprayed Q235 steel plate
- External size (LxWxH)：1000x500x830mm
- Safe working load：150kg
- Reverse trendelenburg：0-15°(±2°)
- Trendelenburg：0-15°(±2°)
- Trendelenburg and Reverse trendelenburg adjusted by manual screw,screw with screw sleeve lock
- Stainless steel Mayo table can be removable
- The U-shaped groove table top is equipped with sewage outlet
- Mayo table：1pc
- U-shaped groove table top:1pc
- Strap hook:6pcs
- Slient caster:3pcs one is directional and two are universal
- Stump:4pcs
- I.V. pole:1pc
- I.V. pole prevision:2pcs







Hydraulic veterinary operating table

MA-VOTB

- Material:The table is made of 304 Stainless steel,the base is made of sprayed Q235 steel plate
- External size (LxWxH)：1400x650x(800-900)mm
- Safe working load：150 kg
- Reverse trendelenburg：0-15°(±2°)
- Trendelenburg：0-15°(±2°)
- Adjustable table angle ：0-45°(±2°)
- Trendelenburg and Reverse trendelenburg adjusted by manual screw,screw with screw sleeve lock
- The height of the whole table is adjusted by the brand foot hydraulic cylinder
- The table angle can be adjusted to different tilt angles manualy and seperately by the knob
- Stainless steel mayo table can be removable
- Hydraulic cylinder:1pc
- Mayo table：1pc
- V-shaped table top:1pc
- Drainage slot:1pc
- Moveable strap:4pcs
- Slient caster:3pcs one is directional and two are universal
- Stump:4pcs
- I.V. pole:1pc
- I.V. pole prevision:1pcs







Electric veterinary operating table

MA-VOTC

- Material:The whole table is made of 304 Stainless steel
- External size (LxWxH)：1400x650x(780-970) mm
- Safe working load：150kg
- Reverse trendelenburg：0-15°(±2°)
- Trendelenburg：0-15°(±2°)
- Adjustable table angle：0-45°(±2°)
- Trendelenburg and Reverse trendelenburg adjusted by manual screw,screw with screw sleeve lock
- The height of the whole table is adjusted by motor with the red and black foot switch
- The table angle can be adjusted to different tilt angles manualy and seperately by the knob
- Stainless steel mayo table can be removable
- The operating table top is heated and insulated by Temperature Control System,with automatic thermostat fur
- Main Voltage AC：220V±22V,50Hz±1Hz

- Motor:1pc
- Hydraulic cylinder:1pc
- Display with Temperature Control System:1pc
- Mayo table：1pc
- V-shaped table top:1pc
- Drainage slot:1pc
- Moveable strap:4pcs
- Slient caster:3pcs one is directional and two are universal
- Stump:4pcs
- I.V. pole:1pc
- I.V. pole prevision:1pc





Pet Cage

MA-VPC

- Function: pet foster care, infusion, display, oxygen, etc.
- Material: 304 stainless steel
- Machine size: W1300*D600*H1450mm (including wheel height)
- Size of each grid: W590*D600*H615mm
- Casters: 4 universal wheels with brakes
- Accessories: standard infusion stand, identity card, partition for each grid (free installation as required)

- Cats and dogs of various sizes are kept in foster care. The whole cage can be embedded into a custom cabinet.
- The entire cage door can be removed and cleaned, and the cage door is close to the railing of the door lock to be encrypted to prevent pets from opening the door after learning.
- Equipped with an automatic door closing lock, which can be automatically locked by pushing slightly, and the cage door can be ejected by lifting up, and the door lock has holes for mechanical locks or hooks.







- Each cage is equipped with an information card box.
- The cage is equipped with a detachable infusion rod, which can give pets infusion.
- Equipped with 4 silent casters with brakes, it moves smoothly and is easy to fix.
- An oxygen cabin is optional, and oxygen can be directly given to pets in the cage.
- Optional power socket to facilitate the power supply of electric equipment.
- Optional temperature adjustment function, adjust the heating power of the heating lamp through the knob.
- The bottom of each grid can be equipped with a pull-out feces tray, which is convenient for cleaning pet feces and urine.
- The two-lattice small cage can be equipped with a drawer plate. After being drawn out, a large cage is formed, and the drawer plate can be locked.
- Each small grid of the cage can be equipped with shading cloth.

  Remarks: Various details and sizes can be customized

- Optional:

  oxygen chamber

  socket

  heater

  feces box

  pumping plate

  shading cloth







Pet disposal table (bath pool)

MA-VPD

- Function: pet bathing, beauty treatment
- Material: 304 stainless steel
- Small size: L1200*W600*H900mm
- Sink size: L1000*W500*D220mm
- Bearing weight: 150kg

- Two grids on the countertop are detachable, with telescopic faucet
- The disposal table can be used as a pet bathing pool or as a pet grooming table.
- Equipped with a thermostatic faucet, an external water heater is required, and the faucet can be retracted through a hose, which is convenient for pets to bathe.
- Equipped with 3 drawers, which can store different kinds of items.
- The disposal table is equipped with a cabinet door, which can be opened to check the status of the drain pipe, and items can be placed in the cabinet.
- The drain pipe of the pool is equipped with a hair isolation net to prevent the drain pipe from being blocked.
- Remarks: The size can be customized.

- Optional size:
  Large size: L1400*W600*H900mm
  Sink size: L1200*W500*D220mm





Pet exam table

MA-VET

- Function: pet diagnosis and treatment, weighing
- Material: 304 stainless steel
- Size: L1000*W550*H800mm
- Bearing weight: 150kg

- The diagnosis and treatment table comes with an electronic scale, which is controlled by the digital screen buttons, which can accurately weigh the pets.
- There is a storage board under the stage for sundries.
- The height of the four feet can be adjusted finely by rotating, which helps to maintain the stability of the table on uneven ground.
- Remarks: The size can be customized







Pet Grooming Table

MA-VGTA

- Function: Pet beauty
- Material: The tabletop is made of composite rubber
- The table top is a seven-layer composite table top with a closed metal edging
- The legs are thick steel pipes with rubber legs
- Small size: L800*W500mm
- Thickness: 20mm
- Bearing weight: 50kg
- Accessories: boom, boom lanyard, net bag

- The table has a detachable fixed boom, and the boom is equipped with a lanyard, and the boom can be adjusted in height through a clamp, which is convenient for fixing pets of various sizes.
- The beauty table can be folded to save space.
- The bottom of the table has a removable net pocket for groceries.
- The feet can be finely adjusted in height by rotating, which helps to maintain the stability of the table on uneven ground.
- Note: The color can be black or blue.
- Optional size: Large size: L1100*W600mm





Pet Grooming Table

MA-VGTB

- Function: Pet beauty
- Material: The tabletop is made of composite rubber
- The table top is a seven-layer composite table top with a closed metal edging
- The bracket is made of high-quality carbon steel with electrostatic powder spray coating
- Table diameter: 700mm
- Table thickness: 25mm
- Lifting range: 800-900mm
- Bearing weight: 100kg
- Accessories: boom, boom lanyard

- With hydraulic lifting function, the platform can be lifted and lowered by stepping on it.
- The stainless steel boom is equipped with a sling, which can easily fix the pet, and the height
- of the boom can be adjusted by the clamp.
- Note: The color of the countertop can be customized in pink, green, blue, black and purple.





Pet water blowing machine

MA-VBM

- Function: Dry the pet's hair after bathing
- Material: high-quality steel spray + ABS
- Size: L375*W156*H160mm
- Power: 2400W
- Weight: 4.5kg
- Accessories: 4 functional nozzles, plastic tube

- Stepless adjustment of wind speed
- Outlet heating

  It is equipped with a high-elastic blowing tube, which can be stretched to 1.8m long.
- Remarks: An extra piece of filter cotton is included, which can be replaced by yourself..





Pet infusion pump

MA-VIP

- Semi-squeeze finger-type peristaltic pump
- Special or quality PVC/TPE IV sets with an external diameter of 3.4mm~4.5mm
- Safety classification:Class Ⅱ ,Internal power supply,CF type,IPX4 equipment
- Power supply: Ac adapter:100～240V,50/60Hz,,Built-in rechargeable Li- battery
- Power consumption:20VA
- Weight and size: 95mm(w)*142mm(h)*75mm(t), about 0.85Kg
- Flow-rate:1.0~800.0ml/h, 0.1ml/h step
- Drop-rate:1~333d/min, 1d/min step
- Time:1s~99h59m59s,1s step
- Dose:0.1～999.9mg, 0.1mg step
- mg/kg/h: 0.1~999.9mg/kg/h,0.1mg/kg/h step
- Body-weight: 1~300 kg,1kg step
- KVO rate: 1.0~5.0 ml/h,0.1ml/h step
- Preset volume: 0.1~9999.9ml,0.1ml step



- Alarm:
- Air in the front-end of tube
- The front-end bubble sensor fault
- Air in the back-end of tube
- The back-end bubble sensor fault
- Back-end occlusion, 20~140kPa, 8 grades of sensitivity
- Back-end pressure sensor fault
- Abnormal door-opening
- Low battery power, battery fault
- Completed infusion
- AC power fault.



Pet monitor

MA-VMTA

- Function: measure and monitor various physiological parameters of pets
- Screen size: 12-inch color TFT screen
- Power supply: 100~240V, 50/60Hz

- Multi-parameter monitor, suitable for cats and dogs and other animals.
- Equipped with a color LCD display, which can display animal parameters, waveform parameters, acquisition and alarm information, animal monitor status, time and other prompts.
- Defibrillation and electrosurgery interference protection.
- Standard parameters: blood oxygen, blood pressure, body temperature, ECG, pulse and respiration.
- Optional invasive blood pressure, end-pulmonary carbon dioxide, anesthetic gas.
- With large-capacity rechargeable battery, can get rid of the power supply.
- Optional configuration: touch screen, thermal printer, cart, VAG output interface etc.





Pet monitor

MA-VMTA

- Function: measure and monitor various physiological parameters of pets
- Screen size: 12-inch color TFT screen
- Power supply: 100~240V, 50/60Hz

- Multi-parameter monitor, suitable for cats and dogs and other animals.
- Equipped with a color LCD display, which can display animal parameters, waveform parameters, acquisition and alarm information, animal monitor status, time and other prompts.
- Defibrillation and electrosurgery interference protection.
- Standard parameters: blood oxygen, blood pressure, body temperature, ECG, pulse and respiration.
- Optional invasive blood pressure, end-pulmonary carbon dioxide, anesthetic gas.
- With large-capacity rechargeable battery, can get rid of the power supply.
- Optional configuration: touch screen, thermal printer, cart, VAG output interface etc.





Pet portable monitor

MA-VMTB

- Function: measure and monitor various physiological parameters of pets
- Screen size: 3.5 inch color TFT screen
- Resolution: 320*480
- Body size: L146*W67*H30mm
- Weight: 250g

- Multiple parameter monitoring, flexible combination.
- A wide range of monitoring objects, can be used for horses, cattle, dogs, cats, etc.
- With two monitoring modes: point measurement and monitoring.
- Powerful data display and storage functions, support for data review, tables, trend graphs, and can store information of 100 patients under spot measurement, and each patient can record 200 data; under monitoring, it can record data of 48 hours.
- Support the alarm function, through the sound and indicator light alarm, the alarm value can be adjusted.
- It comes with a charging base, which can be used while charging, and has a built-in rechargeable lithium battery, which can stand by for up to 8 hours.
- Accessories: charging base, SPO2 accessories, NIBP accessories, TEMP accessories, EtCO2 accessories

